

Showcases

Snack Showcases	253
Sushi Showcases	255
Refrigerated cases for ingredients	256

Special units or any variations on the standard model must be assembled at the factory at an additional charge over the standard model's price.

Please, contact Fagor Industrial for any other variation or option that is not included on this list.

Snack showcase

Some products require specific care for their conservation and presentation. Fagor Industrial offers specifically designed display cases for those products.



General characteristics

- High quality austenitic stainless steel inner tray
- Anodised aluminium outside panels. Glass with PVC on the sides.
- Curved glass cover (one piece) or flat cover (two pieces) and glass sliding doors.
- 40 kg/m³ injected polyurethane insulation. CFC free.
- It can fit GN -1/3, 40 mm deep containers. (NOT included in neutral models)
- Lighted power switch.

Only refrigerated models:

- Cold plate with copper tube evaporator.
- Emergency waste water drainage.
- Electronic thermostat for temperature control.
- Shielded inner lighting system.
- Working temperature: +4 °C, +8 °C (room temperature: 32 °C).
- The containers are included in the standard equipment.





	MODEL	COOLANT	CODE	GLASS TYPE	CONTAINERS CAPACITY	COOLING UNIT TYPE	ELECTRIC POWER (W)	DIMENSIONS (MM)	€
Refrigerated flat g	lass								
G. Contraction of the contractio	EVTP-139 P	R-600a	19048039	Plano	6*GN	Interior	82	1.380x415x278	-
Grand D.	EVTP-175 P	R-600a	19048042	Plano	8*GN	Interior	82	1.732x415x278	-
Refrigerated curve	ed glass								
6	EVTP-139 C	R-600a	19048038	Curvo	6*GN	Interior	82	1.380x415x278	-
Garage P	EVTP-175 C	R-600a	19048041	Curvo	8*GN	Interior	82	1.732x415x278	-
Neutral flat glass									
	EVTP-139 NP	-	19078812	Plano	7*GN	No	-	1.380x415x278	-
	EVTP-175 NP	-	19078815	Plano	9*GN	No	-	1.732x415x278	-
Neutral curved glass									
	EVTP-139 NC	-	19078813	Curvo	7*GN	No	-	1.380x415x278	-
	EVTP-175 NC	-	19078816	Curvo	9*GN	No	-	1.732x415x278	-

Sushi showcase



General characteristics

- Perforated stainless steel inner tray for food
- Anodised aluminium outside panels. Glass with PVC on the sides.
- Curved glass cover and glass sliding doors.
- 40 kg/m^3 injected polyurethane insulation. CFC free.
- Static cooling system.
- Double built-in evaporation system by means of bottom tray and a copper pipe on the surface of the curved glass cover.
- Emergency waste water drainage.
- Electronic thermostat for temperature control.
- Shielded inner lighting system.
- Lighted power switch.
- Working temperature: -1 °C, +2 °C (room temperature: 27 °C).

	MODEL	COOLANT	CODE	GLASS TYPE	COOLING UNIT TYPE	ELECTRIC POWER (W)	DIMENSIONS (MM)	€
G150 /	EVTP-139 C - SUSHI	R-600a	19048040	Bended	Built-in	82	1.380x415x278	-
6377.2V	EVTP-175 C - SUSHI	R-600a	19048043	Bended	Built-in	82	1.732x415x278	-

Refrigerated cases for ingredients

Ingredient cases have their own cooling units to provide total location flexibility. They are the ideal complement to turn a refrigerated counter into a complete working station for the preparation of cold dishes, pizzas or sandwiches.



General characteristics

- It can fit GN 1/4, 150 mm deep containers.
 Containers are not included in the standard equipment.
- Cooling unit included.
- R-600a ecological cooling.
- Cold plate refrigeration system.
- Thermostatic control of temperature (+2 °C, +8 °C). Digital display.

Glass covered cases for GN-1/4 containers

	MODEL	CODE	COVER	CONTAINERS CAPACITY	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (MM)	€
et.	EMI-135	19061729	Glass	5*GN 1/4	178	R-600a	1.340x336x450	-
-1,54.50	EMI-150	19061741	Glass	6*GN 1/4	178	R-600a	1.496x336x450	-
10 Driver	EMI-180	19061743	Glass	8*GN 1/4	178	R-600a	1.790x336x450	-
No. of the last	EMI-202	19061745	Glass	9*GN 1/4	178	R-600a	2.019x336x450	-
Sammer !	EMI-225	19061747	Glass	10*GN 1/4	216	R-600a	2.240x336x450	-

Cases for stainless steel GN-1/4 containers with cover

	MODEL	CODE	COVER	CONTAINERS CAPACITY	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (MM)	€
	MIT-135	19061740	Stainless steel	5*GN 1/4	178	R-600a	1.340x336x250	-
\Box_{d}	MIT-150	19061742	Stainless steel	6*GN 1/4	178	R-600a	1.496x336x250	-
	MIT-180	19061744	Stainless steel	8*GN 1/4	178	R-600a	1.790x336x250	-
	MIT-202	19061746	Stainless steel	9*GN 1/4	178	R-600a	2.019x336x250	-
	MIT-225	19061748	Stainless steel	10*GN 1/4	216	R-600a	2.240x336x250	-